



**A Geomorphological Analysis of  
Nauset Beach/Pleasant Bay/Chatham Harbor  
For the Purpose of Estimating  
Future Configurations and Conditions**

by

**Graham S. Giese  
Stephen T. Mague  
Stacy S. Rogers**

for

**The Pleasant Bay Resource Management Alliance**

**December 2009**

**5 Holway Avenue  
Provincetown, MA 02657  
[www.coastalstudies.org](http://www.coastalstudies.org)  
(508) 487- 3623**

## 1. INTRODUCTION

The pathways taken by seawater flowing between the ocean and the large estuarine system lying between Nauset Beach and the developed uplands of southeastern Cape Cod have continually changed through history. At present, water between the estuary and the sea is exchanged through two discrete tidal inlets in the Nauset barrier beach system.

“North Inlet” lies immediately south of the southern terminus of the long (and unbroken for more than 10 miles) section of the barrier system known as “North Beach”. Geographically it is located in North Chatham in the vicinity of Strong Island and Ministers Point. One major arm of the estuary, Pleasant Bay, lies to the west, and another, Little Pleasant Bay, lies to the north of North Inlet (Figure 1).

An approximately 2-mile long barrier island known as “North Beach Island” lies south of North Inlet and west of that section of the estuary known as “Chatham Harbor”. The second tidal inlet, “South Inlet”, lies south of North Beach Island and north of the next section of the Nauset barrier system known as “South Beach”. At its northern end, South Beach is attached to the upland and thus forms the southern end of the estuary.

South Inlet is the major navigation inlet to the estuary and it is older of the two, having formed in 1987. It also is the larger of the two inlets. However, North Inlet has been increasing in size since it first formed in 2007 near the junction of the three arms of the estuary, Chatham Harbor, Pleasant Bay and Little Pleasant Bay. Formation of a second inlet brought increased tides and tidal flushing to the estuary, a change that is generally considered positively by the surrounding communities.

Other changes, however, have been detrimental to community interests. A colony of beach cottages on North Beach, just north of the inlet, was destroyed by beach erosion as the inlet widened, and by interrupting the supply of sediment to North Beach Island, North Inlet has contributed to erosion of that section of the barrier beach system threatening a second cottage colony. It has also produced new shoals within the estuary and increased wave activity in the North Chatham area.

Most importantly, the continued development of North Inlet threatens the future viability of South Inlet as a navigational channel and without that route to the sea the major commercial marine facilities in the estuary could be compromised. Those facilities are now located near Tern Island behind North Beach Island in the Town of Chatham. The navigation channels



Figure 1

between this area - which takes the name “Fish Pier” from the commercial landing facilities located there - and South Inlet are presently well established and maintained. But maintaining those channels could become impractical without significant tidal flow.

Because of these and similar concerns, the Pleasant Bay Resource Management Alliance requested a geomorphological analysis leading to an estimate of future Nauset Beach/Pleasant Bay/Chatham Harbor configurations and conditions. In Section 2, terminology specific to this report is discussed. Sections 3 and 4 present the methods employed in the present analysis and their results. These results are discussed in Section 5, and a concise summary of the entire report is presented in Section 6. Acknowledgements are given in Section 7, and general references in Section 8, while references to cartographic documents and geospatial data can be found in Section 9.

## **2. TERMINOLOGY**

In very general terms, a “stable” tidal inlet of the sort often found in the Nauset barrier beach system is a passage between the sea and an estuary that is maintained by tidal flow. Stable tidal inlets are “stable” in the sense that they maintain a similar average size (generally considered as the cross-sectional area of the inlet channel at its narrowest point, or “throat”) that changes only slowly through time. However, a tidal inlet may shift in location; in particular it may migrate in the downdrift direction, and remain stable.

The forcing agents that maintain this condition of stability are the tides that pass through such inlets and the waves that transport sediment along their outer shores. Greater wave-driven alongshore sediment transport tends to narrow the inlet, but the narrower inlet produces increased tidal currents which – in turn – tend to widen it again. In this way a dynamic balance is achieved.

Tidal inlets typically transfer sea water through a channel to a semi-permanent tidal basin. In the present case, Pleasant Bay and Little Pleasant Bay together constitute the “basin”, while Chatham Harbor constitutes the “channel” connecting an inlet with the basin. The “tidal prism” is the volume of water that is exchanged between the sea and the basin over a tidal cycle.

The size of the tidal prism varies with the “hydraulic efficiency” of the system – that is to say, with the system’s ability to exchange sea water between the ocean and the basin. This exchange is favored by larger inlets and shorter channels, both of which reduce hydraulic friction within the system. Increasing hydraulic efficiency results in a larger tidal prism and enhanced exchange of water.

In this report, the only openings or passageways within the Nauset barrier beach system to be considered “inlets” are those which supply sea water to the basin. For example, in December, 2009, there were two tidal inlets within the system, South Inlet at the southern end of the “Chatham Harbor” channel, and North Inlet which led almost directly into the basin. Neither of those two inlets appeared to be stable.

### **3. METHODOLOGY**

This study of the Nauset barrier beach system continues work that initiated with a report to the Chatham Conservation Commission more than 30 years ago (Giese, 1978). Due to the complexity of the barrier beach system, the 1978 work presented a model of tidal inlet movement based on available historical data that excluded secondary causes and effects in order to present primary causes and effects more clearly. As noted in that study, the model was “based on incomplete data” and the more historical information that could be put into the model, the closer it would approach reality. In light of the fact that 1978 study and subsequent reports that followed (e.g., Giese et al., 1989) did not anticipate the formation of North Inlet, the need for such adjustments is clear.

A central goal of the present study is to identify additional historical cartographic, narrative, and anecdotal descriptions of the Nauset barrier beach system to supplement and adjust, where needed, the 1978 model developed for the Chatham Conservation Commission. To help achieve this goal, methodology from the Massachusetts Office of Coastal Zone Management (CZM) Historical Shoreline Mapping Project (Mapping Project) was adapted to meet the specific requirements of the current work (BSC, 2007). The Mapping Project, completed in 2007, identified and evaluated historical cartographic documents from the 17<sup>th</sup> century through the present to establish presumptive lines of state tidelands jurisdiction for the entire coast of Massachusetts (Mague & Foster, 2008) and the methodology used to identify, assess, and utilize historical geospatial documents in a contemporary mapping context is well-documented (BSC, 2007).

The methodology modified for the current study employed an eight-step approach: 1) Research of cartographic and archival information depicting historical configurations of the Nauset barrier beach system ; 2) Qualitative assessment of historical information, including maps, charts, plans and narratives, to identify documents for further consideration; 3) Registration of cartographic information to the North American Datum of 1983 (NAD83) and the development

of an historical base map with verifiable spatial accuracies; 4) Analysis and assessment of registered maps, charts, and plans and inlet information plotted from historical narratives to eliminate positional information having a high degree of uncertainty; 5) Development of a working plot of the location of Chatham Inlet relative to Minister's Point versus time (year) and assessment of the geospatial uncertainty of all data points; 6) Elimination of data points with significant geospatial uncertainty and the compilation a finished plot, beginning in the mid-1840s, of historical Chatham Inlet positions relative to Minister's Point; 7) Compilation of figures from the best available evidence representative of the shoreline conditions associated with period-specific locations of the Chatham Inlet; and 8) Development of a theoretical model and figures, based on the best available historical evidence, depicting historical positions and potential future movements of the Chatham Inlet.

Research for historical plans, maps, charts, narratives, and anecdotal evidence was conducted at the Chatham Historical Society, Sturgis Library (Barnstable), Eldredge Library (Chatham), Snow Library (Orleans), William Brewster Nickerson Cape Cod History Archives (Cape Cod Community College), Harvard Map Collection (Harvard College Library), Norman B. Leventhal Map Center (Boston Public Library), and Historical Map & Chart Project website of the National Oceanic & Atmospheric Administration (NOAA) Office of Coast Survey. Copies of many historical plans, including the work of the U.S. Coast Survey (referred to throughout this report as the Coast Survey, which is meant to include the U.S. Coast Survey and its successor agencies the U.S. Coast & Geodetic Survey and the current Office of Coast Survey), were obtained from the digital database of the Mapping Project, which contains in excess of 2,600 historical plans, maps, and charts of the Massachusetts coast (BSC, 2007). Contemporary Inlet locations were obtained from the NOAA Office of Coast Survey Nautical Charts website and the *Breakthrough* website, which contains links to the detailed mapping efforts of local surveyor Thadd Eldredge, PLS. A list of all historical narrative, cartographic, and geospatial information considered for this study with archival locations is contained in Section 9.

Information from over one hundred maps, charts, and plans and several historical narratives were incorporated into the project GIS (Geographic Information System) to identify locations of the Chatham Inlet from the late 17<sup>th</sup> century to the present. The historical documents were divided into three categories:

- *U.S. Coast Survey Topographic field sheets (T-sheets) and Hydrographic Smooth Sheets (H-sheets)*, covering a period from the 1840s to the 1970s, formed the framework of the project GIS and subsequent analysis. Coast Survey T-sheets are well-suited for use as historical base maps (Mague, 2009) and with quantifiable accuracies can be used to facilitate the registration of 18<sup>th</sup> and 19<sup>th</sup> century plans lacking sufficient extant geographic reference points. T-sheets and H-sheets were

registered using documented coordinate values for Coast Survey triangulation stations (Coast Survey, 1851; Coast and Geodetic Survey, 1894) and sheet graticules translated to the project datum in accordance with procedures developed in the context of the Mapping Project (BSC, 2007). T-sheets and H-sheets of the Massachusetts coast, properly registered, have been shown to meet or exceed National Map Accuracy Standards (NMAS) – e.g., 8.5 meters at a mapping scale of 1:10,000 - with accuracies limited primarily by the original compilation scale (BSC, 2007; Daniels & Huxford, 2001; Crowell et al, 1991).

- *Non-coast survey plans, maps, and charts* from the 18<sup>th</sup>, 19<sup>th</sup>, 20<sup>th</sup>, and 21<sup>st</sup> centuries were incorporated into the project GIS to supplement the Chatham Inlet geospatial database for years not covered by the Coast Survey work. The majority of these documents were registered using prominent geographic features, although the more contemporary work did lend it itself to graticule or survey station registrations. Uncertainties in the position of the Chatham Inlet described by these documents was estimated to range from less than 5 meters for contemporary work to 250 meters for pre-Coast Survey work.
- The location of the Chatham Inlet was also plotted from descriptions contained in various *Historical Narratives*. This archival information consisted of local histories of Chatham, various editions of the *Coast Pilot*, reports prepared by the Coast Survey and scientists of the 19<sup>th</sup> and 20<sup>th</sup> centuries, and local historical surveys that could not be registered due to a lack of registration points. Uncertainties in the position of the Chatham Inlet described in these documents were estimated to range from 100 to 400 meters.

Geospatial information for this project was organized into a project GIS created in ArcGIS 9.3 with MassGIS, 1:5,000 scale, 2005 orthophotos as the base map. Cartographic manuscripts were registered to the North American Datum of 1983 (NAD83) using the ESRI, ArcGIS 9.3 georeferencing extension, set for a First Order Polynomial (Affine) Transformation. Generally, registration points consisted of Coast Survey triangulation stations, graticules or well-defined geographic features. A minimum of six points was retained for each registration with the goal of minimizing the root mean square (rms) of the error associated with the registration or control points. To the extent possible, registration points were distributed equally across each manuscript to account for unequal distortion. Spatial uncertainty was estimated using well-defined points withheld from the manuscript registration and the best available historical representations of the historical position of the Chatham Inlet identified using professional judgment.

When all spatial formation had been incorporated in to GIS, the location of the northerly terminus of the Inlet was identified. The year and the distance north or south from an east-west baseline, defined arbitrarily to run through Ministers Point, were then recorded in a point data layer. This positional data was exported to an Excel spreadsheet to create a graph of the location of the Inlet over time. Using professional judgment clear outliers and data points associated with a high degree of uncertainty were removed. The plot was subsequently smoothed using best-fit lines and curves to generate the two (2)-phase theoretical model presented later in this report (see Figure 8).

Figures depicting the location of the Chatham Inlet and adjacent shoreline conditions were developed for approximately each decade from the 1840s to the present (2009). Generally, T- and H-sheets formed the basis for these historical compilations, supplemented as appropriate with more detailed information obtained from alternative sources of suitable accuracy. Finally, figures estimating possible locations of the Inlet for the years 2017, 2027, 2037, 2047, and 2057, were developed using the historical figures to guide professional judgment.

#### **4. RESULTS**

Keeping in mind the configuration of the major elements of the system in its present form (Fig. 1), we now review our historical constructions. The earliest is that for 1846 (Fig. 2a), which depicts the system with a form somewhat similar to that in 1986 (Fig. 5a), immediately before the initiation of South Inlet. We begin with 1846 because Nauset Beach breached that year opposite Ministers Point, forming a new but small inlet into Pleasant Bay, and initiating a new “cycle” of change.

The new inlet remained small until 1851, when a major storm, Minot’s Gale, caused it to broaden and deepen into a major inlet (U.S. Coast Survey, 1852; Mitchell, 1871) (Fig. 2b). Thereafter, the system had two ocean inlets, until sometime before 1868 (Fig. 2c) when the southern end of the detached end of Nauset Beach (“South Beach”) attached onto Monomoy Island. Thus 22 years following the initial break in Nauset Beach, Pleasant Bay was once again connected to the Atlantic by a single inlet.

However, Nauset Beach (“North Beach”) did not continue its southward growth until many years later. This extension had not begun by 1868 (Fig. 2c) nor by 1873 (Fig. 3a). Not until 1886 (Fig. 3b), forty years after the initiation of the new inlet, is its southward elongation obvious from these maps. This elongation phase appears to have begun after the remnant barrier to its south had undergone significant erosion and westward migration. The form of the elongated spit follows a familiar pattern of successive recurved spits coalescing to form hooks.

By 1902 (Fig. 3c) most of the remnants of the detached end of Nauset Beach had been largely depleted through erosion or had migrated onto the western shore (mainland or Monomoy). Also by that time the volume of the 1886 hook had increased, and a small new spit extended southward. The development of Nauset Beach - through downdrift migration of the inlet and the growth in volume of its terminal hooks - continued through most of the 20<sup>th</sup> Century (Fig. 4). During much of this period the mainland shore bordering the inlet on its western side experienced erosion as indicated by the red bars on Figures 4a and 4b.





Figure 2




(a)

(b)

(c)

Figure 3



(a)

(b)

(c)

Figure 4

Finally, in 1987, Nauset Beach breached again opposite Chatham Light (Fig. 5b), ending the inlet migration phase of the cycle that had begun in 1846 and initiating a multiple-inlet configuration. By 2006 (Fig. 5c), the new inlet (South Inlet) had entirely supplanted the earlier inlet, the hook at the terminus of North Beach had encroached toward the mainland shore north of Chatham Light, and the channel (Chatham Harbor) had shoaled considerably with sediment associated with the new inlet (e.g., Stauble, et al., submitted).

In 2007, twenty years after the formation of South Inlet, Nauset Beach breached again offshore of Minister's Point and within two years this opening had developed into a major inlet (North Inlet) initiating, once again, a multiple inlet system (Fig. 6). Figure 7 illustrates the annual stages of the development of North Inlet.





Figure 5



(a)

(b)

Figure 6



Figure 7

## 5. DISCUSSION

Reviewing these results, we note the general tendency of this system to proceed through a sequence of changes, from initial 19<sup>th</sup> Century inlet formation in 1846 to initial 20<sup>th</sup> Century inlet formation in 1987, that follow – at least in broad outline – a “quasi-cyclic” pattern that has been often noted in the past (e.g., Mitchell, 1873; Goldsmith, 1972; Giese, 1978). As described by Stauble et al., (submitted), this pattern consists of 1) a breach in the barrier spit, 2) southwest migration of the southern barrier island (i.e., detached south end of spit), 3) barrier spit re-growth and elongation to the south and 4) new breach. This discussion of our results examines the dynamical relationship between these four steps.

*Inlet migration phase.* The relationship between steps three and four have been explored by Friedrichs et al. (1993) using a branched one-dimensional numerical model. Their results indicate that the barrier spit re-growth and elongation lead directly to its eventual breaching by producing an ever increasing hydraulic head between the tide in the ocean and the estuary at the time of ocean high tide. It must be understood that the actual breaching event requires not only this critical hydraulic head, but also storm and astronomically elevated ocean sea levels sufficient to allow storm waves to overwash a low section of the barrier. Both overwash and a critical hydraulic head are required. In other words, storm wave overwash is a necessary, but not sufficient cause of new inlet formation.

Thus, the final two steps of this pattern can be considered together as a single phase in which the barrier elongates as the tidal inlet migrates southward, in the downdrift direction. In this “inlet migration phase” the system can be described as “wave-dominant”, that is, the net southward alongshore transport of littoral sediment produced by the regional wave climate controls the location of the inlet – not the tidal forces associated with flow through the inlet. Of course, tidal forces are required to maintain the inlet, but changes in the inlet (i.e., its location) are due to waves.

In this wave-dominant phase the system remains stable until the critical hydraulic head reached. In this phase, the response of the system to a storm-driven overwash event is to return to the pre-storm, single inlet condition. Thus it remains stable until it reaches step four (new breach), which is also, of course, step one.

*Inlet development phase.* The results of this study indicate that breaching events that begin a new morphological cycle (e.g., the 1846 and 1987 events) initiate an extended period of instability characterized by multiple inlets and changes in tides and tidal channels. In this phase

the system may be said to be “tide-dominant”, since it is primarily the tidal forces, not alongshore littoral sediment transport, that determines the inlet locations and changes. Because the system is unstable in this phase it is difficult, if not impossible, to anticipate the characteristics of such changes. Adding to the complexity is the fact that these changes are inter-dependent – for example, an inlet reconfiguration alters the tides, and they in turn alter the channels.

Using the numerical model referenced above, Friedrichs et al. (1993) examined the multiple-inlet stability in this system. They concluded that the formation of a second inlet updrift (i.e., north) of an existing inlet produces a condition of hydrodynamic instability in the system by reducing the surface gradient in the channel (Chatham Harbor) leading to the original inlet. This reduction, coupled with associated positive feedback (i.e., increased flow) at the new inlet eventually leads to decoupling of the original inlet from the Pleasant Bay basins.

When a single inlet configuration is once again reached, the associated tidal channels and inlet spits continue to adjust to the new set of conditions. This period of adjustment appears to have required a period of several decades in the 19<sup>th</sup> Century (i.e., c. 1868 to c. 1886) before Nauset Beach began again its elongation to the south (Fig. 2c; Fig 3b).


The morphological changes in the system during the tide-dominated inlet development phase appear to result from hydrodynamic processes leading to increased hydraulic efficiency. On the other hand, those associated with the wave-dominated inlet migration phase are associated with decreasing hydraulic efficiency of the system. This suggests that the hydraulic differences between the two phases may provide a measurable set of tidal characteristics that could be combined with the physical characteristics of each in order to distinguish one from the other.

*Two phase conceptual model.* Figure 8 presents the major results of this study in graphical form together with an outline of the characteristics that might be used to aid interpretation of the system’s present and future behavior. The graph in the upper section plots the location of Chatham Inlet in terms of time in calendar years along the horizontal axis, and distance in kilometers south of Minister’s Point along the vertical axis. The curved line depicting inlet location is intended to be diagrammatic only. It is smoothed to indicate the general direction of inlet changes in the past – not the actual location at any specific time.

For that part of the diagram depicting future time, dotted lines are used to indicate inlet locations that would be consistent with our two-phase hypothesis of inlet evolution. The inlet location line is blue during years corresponding to the inlet development phase (1846-1886, and 1987 - ?). It is red during years corresponding to the inlet development phase. The table in the lower portion of Figure 8 presents the physical characteristics associated with each of the two phases.



Figures 9 and 10 provide an alternative means of depicting the types of future configurations that would be consistent with the reasoning discussed above and illustrated in Figure 8. After depicting the present condition (Fig. 9a), the figures proceed in 10-year time increments following the initiation of North Inlet in 2007. That for 2017 (Fig. 9b) indicates a condition in which North Beach Island has eroded considerably, but it is purposely left ambiguous as to whether or not South Inlet is actively contributing to the tidal prism of the basin. By 2027, however, the system has just a single inlet (the present North Inlet), but it has yet to migrate very far southward (Fig. 9c). All of these figures represent possible configurations that could exist in a continuation of the present tide-dominated inlet development phase.




(a)

(b)

(c)

Figure 9



(a)

(b)

(c)

Figure 10

**In contrast, the three images in Figure 10 imagine successive morphological changes consistent with the initiation of a future wave-dominated inlet migration phase of the system’s development. In each, the barrier beach north of the inlet has become increasingly well developed, producing - a half-century following the 2007 breach – a well developed recurved spit and tidal inlet in the general location of today’s Tern Island.**

*Special Considerations.* The estimates of future coastal configurations and conditions presented in this report are based on (1) past configurations and changes, and (2) the physical processes and conditions responsible for those configurations and changes. However a major change in the system’s physical conditions has resulted from the increasing number of coastal engineering projects initiated in recent decades (Stauble, et al., submitted). Easily erodible sandy shores have been protected in many places along the western shore of Chatham Harbor,

and one effect of these may be to narrow tidal channel widths. The restricted channels, in turn, could accelerate the natural progression of decreasing hydraulic efficiency and lead to earlier barrier breaching events.

Another consideration is the effect of a further acceleration in rate of local sea level. While the combined effects of crustal subsidence and global sea level rise produced a slow increase in southern New England sea levels for thousands of years, it is now widely believed that the rate of sea level rise here accelerated during the 19<sup>th</sup> Century to the present value of approximately one foot per one hundred years. It is very likely that an additional acceleration will occur during the present century (Williams, et al., 2009). Fletcher (2009) provides evidence that an (1) additional acceleration in global sea level is already underway, but (2) that this increase is not uniform across the oceans, and has yet to alter the trend established in southern New England in the 20<sup>th</sup> Century.

Both Williams, et al. (2009) and Fletcher (2009) suggest that a 21<sup>st</sup> Century global mean sea level rise of 1 meter is plausible. Such an increase in the rate of sea level rise would be likely to accelerate the progression of the patterns outlined in this report. The tide-dominated inlet development phase would be expected to proceed more rapidly due to the increased tidal prism associated with elevated high tide levels. The wave-dominated inlet migration phase would be affected in two ways, both accelerating the progression. First, higher sea levels would increase the energy of open-ocean waves crossing the continental shelf, and as a result increase southward alongshore sediment transportation. Second, the higher levels would lead to more rapid erosion of the barrier beach remnants south of North Inlet. Both changes would favor an accelerated inlet migration phase.

Finally, we note that since both of these concerns - restricted channels resulting from coastal engineering structures and accelerated sea level rise – can be expected to reduce the duration of future morphological “cycles”, they also will likely accelerate the system’s “long-term trend” (Giese, 1978) toward a future pattern in which Nauset Beach will terminate at North Chatham.

## **6. SUMMARY**

Drawing upon scientific and historical sources, this study provides a geomorphological analysis of the behavior of the Nauset barrier system over the past century and a half. It then applies the results of that analysis to provide estimates of the system’s future configurations and conditions.

The results suggest that the system's long-recognized tidal inlet "cycles" proceed in two distinct phases. The first, the inlet development phase, begins with a breaching event that launches a new morphological cycle and initiates an extended period of instability characterized by multiple inlets, and changes in tides and tidal channels. The system is said to be "tide-dominant" in this phase in that tidal forces primarily determine inlet locations and changes.

The second, or inlet migration phase, commences after the system has achieved a stable configuration with a single inlet lying south of a mature barrier spit. This phase is characterized by southward growth of the spit and concurrent southward migration of the inlet. The system can be described as "wave-dominant" in this phase since wave induced southward alongshore sediment transport controls the inlet location.

Applying this concept, at present the system is in the multiple-inlet stage of the inlet development phase. We estimate that a single, stable inlet will be in place in less than 20 years and that inlet migration will begin in less than 30 years. Continued southward migration could position the inlet between Ministers Point and Chatham Light within 50 years.

## **7. ACKNOWLEDGEMENTS**

The authors wish to acknowledge the following professionals for the considerable insight and information provided to the project:

Mark Adams, Cape Cod National Seashore

Greg Berman, Woods Hole Oceanographic Institution

Jeff Blossom, Center for Geographic Analysis, Harvard University

Mark Borrelli, Provincetown Center for Coastal Studies

Joseph Garver, Nathan Marsh Pusey Library, Harvard Map Collection

Ted Keon, Director of Coastal Resources, Chatham

Mary Sicchio, Special Collections Librarian, William Brewster Nickerson Cape Cod  
History Archives, Cape Cod Community College

Alex Strysky, Massachusetts Department of Environmental Protection,  
Waterways Program

Mark Wilkins, Director/Curator, Chatham Historical Society

## 8. REFERENCES

- Adams, M. and G.S. Giese. 2008. *Nauset Beach Breach and Inlet Formation, Cape Cod, Chatham MA*. National Park Service, U.S. Department of the Interior, Cape Cod National Seashore, Wellfleet, MA. 22 p.
- Aubrey, D.G. and W. V. Robertson. 1998. *Beach Changes and Management Options for Nauset Barrier Beach and Orleans Town Beach, Cape Cod, MA: Report to the Town of Orleans*. Woods Hole Oceanographic Institution Technical Report, WHOI-98-10, April 1998. 44 p.
- Blunt, E.M. 1817. *The American Coast Pilot, 9<sup>th</sup> edition*. New York. 1817.
- Blunt, E.M. 1837. *The American Coast Pilot*. New York. 1837.
- Blunt, E.M. 1842. *The American Coast Pilot*. New York. 1842.
- Blunt, E.M. 1850. *The American Coast Pilot, 16<sup>th</sup> edition*. Edmund and George W. Blunt, New York. 1850
- Brigham, A. P. 1920. *Cape Cod and the Old Colony*. G.P. Putnam & Sons, New York. 1920. 284 p.
- Boston Survey Consultants, Inc. (BSC) 2007. *Massachusetts Chapter 91 Mapping Project*. Final report prepared for the Massachusetts Office of Coastal Zone Management, Executive Office of Environmental Affairs, Commonwealth of Massachusetts. February 23, 2007.
- Crowell, M. et al. 1991. *Historical Shoreline Change: Error Analysis and Mapping Accuracy*. Journal of Coastal Research, 7(3), p. 839-852.
- Daniels, R.C. and R.H. Huxford. 2001. *An error assessment of vector derived from scanned National Ocean Service topographic sheets*. Journal of Coastal Research, 17(3), p. 611-619.
- Davis, Lt. C. H. (U.S.N.) 1848. *Upon the Geological Action of the Tidal and Other Currents of the Ocean*. Memoirs of the American Academy of Arts and Sciences. New Series Vol. IV – Part I. Metcalf and Company, Cambridge and Boston. 1849. p. 117 – 156.
- Davis, W.M. 1896. *The Outline of Cape Cod*, in Proceedings of the American Academy of Arts and Sciences. Volume XXXI, p. 303-332.
- Fitzgerald, D.M. and E. Pendleton. 2002. *Inlet Formation and Evolution of the Sediment Bypassing System: New Inlet, Cape Cod, Massachusetts*. Journal of Coastal Research. Special Issue 36. p. 290-299.
- Fletcher, C.H. 2009. *Sea Level by the End of the 21<sup>st</sup> Century: A Review*. Dept. of Geology and Geophysics, Univ. of Hawaii at Manoa, Honolulu, HI. "SeaLevelReview\_Fletcher\_2009.pdf". This report is available from [fletcher@soest.hawaii.edu](mailto:fletcher@soest.hawaii.edu).

Freeman, Rev. J. 1802. *A Description of the Coast of the County of Barnstable from Cape Cod, or Race Point, in latitude 42-05 to Cape Malebarre, or Sandy Point of Chatham, in latitude 41-33*. Col. of the Massachusetts Historical Society, Volume III, 1802 (1<sup>st</sup> series). Boston, MA. 11 p.

Freeman, F. 1862. *The History of Cape Cod: The Annals of the Thirteen Towns of Barnstable County*. Volume II. Geo. C. Rand & Avery, Boston. 1862.

Friedrichs, C.T., D.G. Aubrey, G.S. Giese and P.E. Speer. 1993. *Hydrodynamic Modeling of a Multiple-Inlet Estuary/Barrier System: Insight into Tidal Inlet Formation and Stability*. In, Aubrey and Giese (eds), "Formation and Evolution of Multiple Tidal Inlets", Coastal and Estuarine Studies, v. 44, p. 95-112, American Geophysical Union.

Furlong, Capt. L. 1796. *The American Coast Pilot, 1<sup>st</sup> edition*. Blunt and March, Newburyport, Massachusetts. 1796.

Furlong, Capt. L. 1800. *The American Coast Pilot, 3<sup>rd</sup> edition*. Blunt, Newburyport, Massachusetts. 1800.

Giese, G.S. 1978. *The Barrier Beaches of Chatham, Massachusetts*. Provincetown Center for Coastal Studies Report. April, 1978. 38 pp. Also, in Cape Cod Chronicle, June 1, 1978, Special Supplement, 7 p.

Giese, G.S., D.G. Aubrey and J.T. Liu. 1989. *Development, Characteristics and Effects of the New Chatham Harbor Inlet*. Woods Hole Oceanographic Institution Technical Report, CRC-89-4, 42 p.

Goldsmith, V. 1972. *Coastal Processes of a Barrier Island Complex and Adjacent Ocean Floor: Monomoy Island – Nauset Spit, Cape Cod, Massachusetts*. Unpublished doctoral dissertation, Univ. Massachusetts, 469 p.

Hitchcock, E. 1835. *On Certain Causes of Geological Change Now in Operation in Massachusetts*. Journal of Natural History, Volume I, No.2, May 1835, p. 69-82.

Livermoore, C. W. and L. Crosby. 1865. *The Ancient Wreck: Loss of the Sparrow-Hawk in 1626*. Alfred Mudge & Son, Boston. 1865. 38 p.

Mague S.T. 2009. *In Search of the Shawmut Peninsula: Using Modern Cartographic Analysis to Discover the Original: Boston Shoreline*. In: Remaking Boston: The City and Environmental Change over the Centuries. Anthony N. Penna and Conrad Wright eds. University of Pittsburgh Press. (Fall, 2009) – In Press.

Mague, S.T. and R.W. Foster. 2008. *Where's the Shoreline. Sources of Historical High Water Lines Developed in the Context of Massachusetts Coastal Regulations*. FIG- International Federation of Surveyors. February 2008 Article of the Month. Accessible on line at [http://www.fig.net/pub/monthly\\_articles/february\\_2008/february\\_2008\\_mague\\_foster.html](http://www.fig.net/pub/monthly_articles/february_2008/february_2008_mague_foster.html).

Marindin, H.L. *Encroachment of the Sea upon the Coast of Cape Cod, Massachusetts, as shown by Comparative Surveys*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Fiscal Year ending with June, 1889. Appendix No. 12. Government Printing Office, Washington. 1890. p. 403 – 407.

Marindin, H.L. *Cross-Sections of the Shore of Cape Cod Between Chatham and the Highland Light-House*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Fiscal Year ending with June, 1889. Appendix No. 13. Government Printing Office, Washington. 1890. p. 409 – 457.

Massachusetts Historical Society. 1843. *Documents Related to Captain Bartholomew Gosnold's Voyage to America, A.D. 1602*. Collections of the Massachusetts Historical Society. Volume III of the Third Series. 1843.

Mitchell, H. 1871. *Report to Prof. Benjamin Peirce, Superintendent United States Coast Survey, Concerning Nausett Beach and the Peninsula of Monomoy*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Year 1871. Appendix No. 9. Government Printing Office, Washington. 1874. p. 134 – 143.

Mitchell, H. 1873. *Additional Report Concerning the Changes in the Neighborhood of Chatham and Monomoy*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Year 1873. Appendix No. 9. Government Printing Office, Washington. 1875. p. 103 – 107, plus sketch.

Mitchell, H. 1874. *Additional Particulars Concerning the Neighborhood of Chatham and Monomoy*. Eighth Annual Report of the Board of Harbor Commissioners. House Doc. - -No. 65. January 1874. Wright & Potter, State Printers, Boston. p. 69-80.

Mitchell, H. 1887. *On the Movements of the Sands at the Eastern Entrance to Vineyard Sound*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Fiscal Year ending with June, 1887. Appendix No. 6. Government Printing Office, Washington. 1889. p. 159 – 163.

Mitchell, H. 1886. *A Report on Monomoy and its Shoals*. Report of the Superintendent of the United States Coast Survey showing the Progress of the Survey during the Fiscal Year ending with June, 1886. Appendix No. 8. Government Printing Office, Washington. 1887. p. 255 – 261.

Mitchell, H. 1887. *Monomoy and its Shoals*. From Annual Report of Massachusetts Board of Harbor and Land Commissioners for the Year 1886. Wright & Potter Printing Co., Boston. 1887.

Nickerson, J. A. 1988. *Days to Remember: A Chatham Native Recalls Life on Cape Cod Since the Turn of the Century*. The Chatham Historical Society, Inc., Chatham, MA. 228 p.

Nickerson, W. S. 1958. *The Old Sagamores: Mattaquason of Monomoyick*. Bulletin of the Massachusetts Archeological Society, Inc. Volume XIX, No. 4, July 1958, p.53-68.

Nickerson, W. S. 1931. *Land Ho!-1620: A Seaman's Story of the Mayflower, Her Construction, Her Navigation and Her First Landfall*. Houghton Mifflin; January 1, 1931. 102 p.

Otis, A. 1864. *An Account of the Discovery of an Ancient Ship on the Eastern Shore of Cape Cod*. New England Historical and Genealogical Register. Volume XVII. J. Munsell, Albany, NY. 1864. p.37-45.

Perley, S. 1891. *Historic Storms of New England. The Salem Press, Salem, Mass. 1891. 341 p.*

Rich, S. 1883 *Truro – Cape Cod or Land Marks and Sea Marks*. D. Lothrop and Company. Boston.

Shaler, N. S. 1898. *Geology of the Cape Cod District. Extract of the Eighteenth Annual Report of the Survey, 1895-97, Part II – Papers Chiefly of a Theoretic Nature*. Department of the Interior, U.S. Geological Survey. Government Printing Office, Washington. 1898. p. 503-593.

Smith, W.C. 1909. *A History of Chatham Massachusetts. Formerly the Constablewick or Village of Monomoit*. The Chatham Historical Society, Inc. Chatham, Massachusetts. 1971 Edition.

Stable, D. K., T. L. Keon and W. M. Kavanaugh. Submitted. The Formation and Evolution of a New Breach at Chatham, Massachusetts: Implications for Regional Sediment and Navigation Management in a Multiple Inlet System. In review by the Journal of Coastal Research.

U.S. Army Corps of Engineers. 1957. *Chatham, Mass., Beach Erosion Control Study*. U.S. Government Printing Office, Washington. 36 pp. plus Appendices and maps.

U.S. Coast and Geodetic Survey. 1894 *Geographical positions of trigonometric points in the state of Massachusetts determined by the U.S. Coast and Geodetic Survey between the years 1843 and 1894, and including those determined by the survey made by Borden in the years 1832 and 1838*. Report of the Superintendent of the United States Coast and Geodetic Survey showing the Progress of the Work during the Fiscal Year Ending with June, 1894. Pt. 2. Appendix No. 10. Government Printing Office, Washington. 1894. p. 349 – 615.

U.S. Coast Survey, 1852. Annual Report of the Superintendent of the Coast Survey showing the Progress of that Work during the Year Ending November 1851. Washington. 1852. (See p.28 discussing Chatham's northerly inlet).

U.S. Coast Survey. 1851. *List of Geographical Positions determined by the United States Coast Survey*. Report of the Superintendent of the United States Coast Survey showing the Progress of that Work during the Year Ending November, 1851. Appendix No. 12. Government Printing Office, Washington. 1851. p. 162 – 442.

Walling, H.F. *Topographical Surveys of the States*. Van Nostrand's Engineering Magazine. Volume XXXIV, January-June 1886. p. 334-343.

Williams, S.J., B.T. Gutierrez, J.G. Titus, S.K. Gill, D.R. Cahoon, E.R. Thieler, K.E. Anderson, D. FitzGerald and J. Samenow. 2009. *Sea-Level Rise and Its Effects on the Coast*. In, Titus (ed), "Coastal Sensitivity to Sea-Level Rise: A Focus on the Mid-Atlantic Region," U.S. Climate Change Science Program, Synthesis and Assessment Product 4.1, p. 11-24.

Woodworth, J.B. and E. Wigglesworth. 1934. *Geography and Geology of the Region including Cape Cod, the Elizabeth Islands, Nantucket, Martha's Vineyard, No Man's Land, and Block Island*. Memoirs of the Museum of Comparative Zoology, Harvard College. Volume III. Cambridge, MA.

Young, A. 1841. *Chronicles of the Pilgrim Fathers of the Colony of Plymouth from 1602 to 1625*. Charles C. Little and James Brown, Boston, 1841. 503 p.

Zaremba, R.E. and S.P. Leatherman. 1984. *Overwash Processes and Fore-dune Ecology, Nauset Spit, Massachusetts*. Report prepared for the U.S. Army Corps of Engineers, Environmental Lab., Waterways Experiment Station. Environmental Impact Research Program, Miscellaneous Paper EL-84-8.

## **9. CARTOGRAPHIC DOCUMENTS AND GEOSPATIAL DATA** (Archive location in parentheses)

### **17<sup>th</sup> and 18<sup>th</sup> Centuries**

1607 – de Champlain, Samuel. *Map of the Northeast Coast of North America*. (Library of Congress)

c. 1665 - *A Rough Sketch of Showing the Lands at Monomoit Purchased by William C. Nickerson, Sen.* In a *History of Chatham* by W.C. Smith. (Eldredge Library, Chatham, MA)

c. 1694 - *A Rough Sketch of Monomoit 1691-94*. In a *History of Chatham* by W.C. Smith. (Eldredge Library, Chatham, MA)

1760 - Southack, Cyprian. *A correct Map of the coast of New England*. 1760. (2)

c. 1764 - DesBarres, J.F.W. *Coast of New England from Chatham Harbor to Narraganset Bay*. (Showing location of northerly inlet in 1734 & 1764). (3)

1764 - Sketch entitled, *Taken from a Chart of the N.E. Coast composed for Lord Howe in 1764, by J.F.W. DesBarres*. Plate 2 in Davis (1848).

1789 - Norman, J. *Chart of the Coast of America from George's Bank to Rhode Island including Nantucket Shoals, etc. from the Latest Surveys.* (2)

1791 - Pinkham, Captain Paul. *A Chart of Nantucket Shoals.* (1)

1794 - Carleton, Osgood. *Chart form New York to Timber Island including Nantucket Shoals.* (2)

1795 - *A Map of the Town of Chatham taken by us the Committee chosen for that purpose and Compleat [sp] on May 22, 1795. Joseph Howes, Benjamin Godfrey, Richard Sears. (State Archives, Town Plans, volume 10, plan20. 1795.)*

1795 - Lewis, Samuel. *The State of Massachusetts.* (2)

1795 - Carleton, Osgood. *An accurate map of the Commonwealth of Massachusetts exclusive of the District of Maine, compiled pursuant to an act of the General Court from actual surveys of the several towns &c. taken by their order, exhibiting the boundary lines of the Commonwealth.* (2)

1798 - Carleton, Osgood. *Chart form New York to Timber Island including Nantucket Shoals.* (2)

1798 - Carleton, Osgood. *A Chart of Nantucket Shoals from the Latest Surveys.* (2)

1799 - Low, John. *The State of Massachusetts from the best Information.* (2)

1799 - Payne, John. *The State of Massachusetts from the Best Authorities 1799.* Scale 1:1,267,000. (2)

### **1800 - 1849**

1801 - Carleton, Osgood. *Map of Massachusetts Proper Compiled from Actual Surveys made by Order of the General Court and under the inspection of Agent of their appointment.*

1802 - Adams, A. *Map of Massachusetts from the Best Authorities.* Scale 1:1,077,000. (2)

1806 - Carey, Matthew. *The State of Massachusetts.* Scale 1:697,000. (2)

1812 - Holland, Nathaniel. *A Chart of the Coast of New England from the South Shoal to Cape Sable including Georges Bank from Holland's Actual Surveys.* (2)

1812 - Lambert, Samuel. *A New Chart of Massachusetts Bay Drawn from the Latest Authorities.* (2)

1814 - Carey, Matthew. *The State of Massachusetts.* Scale 1:697,000. (2)

1822 - Fielding, Jr., Lucas. *Geographical, Historical, and Statistical Map of Massachusetts*. Scale 1:670,000. (2)

1824 - Goldthwait, J.H. *Massachusetts*. (2)

1830 - Carter, James G. *A Map of Massachusetts, Exhibiting the Boundary Lines of each Town and County*. (2)

1831 - Hales, John Groves. *Plan of the town of Chatham in the County of Barnstable*. (1)

1832 - Hitchcock, Edward. *Geological Map of Massachusetts. Executed under the direction of the Government of the State*. (Cape Cod Community College, Historical Archives, Nickerson Room)

1833 - Tanner, Henry S. *Massachusetts and Rhode Island: By H.S. Tanner*. Scale 1:824,000. (2)

1835 - Bradford, Thomas G. *Massachusetts. From A Comprehensive Atlas: Geographical, Historical, & Commercial*. Scale 1:1,267,200. William D. Ticknor, Boston. (2)

1836 - Boynton, George W. *A New Map of Massachusetts Compiled from the Latest and Best Authorities*. 1836. (2)

1837 - United States Coast Survey. *Sketch of Massachusetts Triangulation Stations*.

1844 - Cutter, X. *Topographical Map of Massachusetts*. (National Archives and Records Administration (NARA))

1846 - United States Coast Survey. *Sketch of Massachusetts Triangulation Stations*.

1848 - Sketch entitled, *The South East Coast of Mass. from the Naut. Chart of Messrs F. & G.W. Blunt by permission 1848*. Plate 1 in Davis (1848).

### **1850 - 1899**

1850 - Mitchell, Samuel Augustus. *Massachusetts and Rhode Island*. Scale 1:792,000. (2)

1851 - U.S. Coast Survey Hydrographic Survey, H-293, *Chatham Harbor*. Scale 1:10,000.

1851-1853 - U.S. Coast Survey Plane Table Survey, T-441, *Southern Extremity of Cape Cod Massachusetts*. Scale 1:10,000. (1)

1853 - U.S. Coast Survey Plane Table Survey, T-424, *Section 1, Monomoy Island, Massachusetts*. Scale 1:20,000. (1)

1853 - U.S. Coast Survey Hydrographic Survey, H-387, *Monomoy Shoals*. Scale 1:30,000. (1)

1854 - U.S. Coast Survey Chart. *Preliminary Chart of Monomoy Harbor Massachusetts .from a Trigonometrical Survey under the direction of A.D. Bache Superintendent of the Coast Survey of the United States*. Scale 1:40,000.

[http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1856 - U.S. Coast Survey Hydrographic Survey, H-570, *Original Chart of the Survey of Cape Cod from Nausett Lights to Monomoy*. Scale 1:40,000. (1)

1856 - U.S. Coast Survey Chart. *Preliminary Chart of Monomoy Shoals Massachusetts the Sea Coast of the United States from Cape Cod Mass. to Saughkonett Point R.I. from a Trigonometrical Survey under the direction of A.D. Bache Superintendent of the Coast Survey of the United States*. Scale 1:40,000.

[http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1856 - U.S. Coast Survey Chart. *Coast Survey Charts 12, 13, & 14, Monomoy and Nantucket Shoals to Block Island and Muskeget from a Trigonometrical Survey under the direction of A.D. Bache Superintendent of the Coast Survey of the United States*. Scale 1:80,000.

[http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1857 - U.S. Coast Survey Chart. *Preliminary Chart No. 4 of the Sea Coast of the United States from Cape Cod Mass. to Saughkonett Point R.I. From a Trigonometrical Survey under the direction of A.D. Bache Superintendent of the Coast Survey of the United States*. Scale 1:200,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1858 - Walling, Henry E. *Map of the Counties of Barnstable, Dukes& Nantucket. Based on the trigonometrical Survey of the State, the Details from Actual Surveys under the Direction of Henry E. Walling*. (3)

1865 - Sketch showing location of the recovered wreck, Sparrowhawk, in Livermoore, and Crosby (1865).

1868 - U.S. Coast Survey Plane Table Survey, T-1077, *Eastern Shore of Cape Cod from Pleasant Bay to Nausett Harbor, Massachusetts*. Scale 1:10,000. (1)

1868 - U.S. Coast Survey Plane Table Survey, T-1085a, *Section 1, Southern extremity of Cape Cod, including the Village of Chatham*. Scale 1:10,000. (1)

1868 - U.S. Coast Survey Plane Table Survey, T-1085b, *Section 1, Topography of the Eastern Shore of Cape Cod Bay, Massachusetts from Pleasant Bay to Monomoy Island* . Scale 1:10,000. (1)

1868 - U.S. Coast Survey Plane Table Survey, T-1090, *Monomoy Point*. Scale 1:10,000. (1)

1871 - Walling H.F. and O.W. Gray. *Map of Massachusetts*. From *The Official Topographical Atlas of Massachusetts*. Scale 1:506,880. (2)

1871 - Walling H.F. and O.W. Gray. *Geological Map of Massachusetts*. From *The Official Topographical Atlas of Massachusetts*. Scale 1:633,600. (2)

1871 - Walling H.F. and O.W. Gray. *Map of Barnstable, Dukes & Nantucket Counties*. From *The Official Topographical Atlas of Massachusetts*. Scale 1:158,400. (2)

1871 - Sketch Comparing Work of Marindin and Champlain in the vicinity of Morris Island, Chatham Ma. Sketch No. 35 in Mitchell (1871).

1873 - U.S. Coast & Geodetic Survey Plane Table Survey, T-441bis, *Section 1, Beaches in Proximity to Chatham Cape Cod, Massachusetts*. Scale 1:10,000. (1)

1873 - Marindin, H.L. *Wear of the Sea Upon the Coast illustrated by a comparison of different surveys at Chatham, Cape Cod*. Scale 1:80,000. Compiled to accompany Mitchell (1873) Report.

1874 - U.S. Coast Survey Hydrographic Survey, H-1243, *Part of Nantucket Sound from Monomoy to Bishop & Clerks Lights*. Scale 1:20,000. (1)

1875 - U.S. Coast Survey Hydrographic Survey, H-1284, *Section 1, East Side of Monomoy Island, Massachusetts*. Scale 1:20,000. (1)

1886 - U.S. Coast & Geodetic Survey Plane Table Survey, T-1704, *Shore Line From Nauset Harbor Southward, Massachusetts*. Scale 1:10,000. (1)

1886 - U.S. Coast & Geodetic Survey Plane Table Survey, T-1705, *Shore Line in the Vicinity of Chatham, Massachusetts*. Scale 1:10,000. (1)

1886 - U.S. Coast & Geodetic Survey Plane Table Survey, T-1706, *Shore Line of the Northern Part of Monomoy Island, Massachusetts*. Scale 1:10,000. (1)

1886 - U.S. Coast & Geodetic Survey Plane Table Survey, T-1683, *Resurvey of the Point of Monomoy, Massachusetts*. Scale 1:10,000. (1)

1887 - U.S. Coast & Geodetic Survey, H-1901, *Sheet 2, Cross Sections off Nauset Beach, Cape Cod, Massachusetts*. Scale 1:10,000. (1)

1888 - U.S. Coast & Geodetic Survey, H-1901, *Sheet ½, Cross Sections of Chatham Beach, Cape Cod, Massachusetts*. Scale 1:10,000. (1)

1889 - U.S. Coast & Geodetic Survey Hydrographic Survey, H-1948, *Nantucket Sound from Monomoy I. to Point Gammon*. Scale 1:20,000. (1)

1889 - U.S. Coast & Geodetic Survey Hydrographic Survey, H-1949, *Chatham Roads and Stage Harbor, Massachusetts*. Scale 1:10,000. (1)

1891 - Walker, G.W. *Topographical Atlas of Massachusetts*. Plate 118, Chatham. (2)

1893 - U.S. Geological Survey. *Chatham Quadrangle*. Scale 1:62,500.  
<http://docs.unh.edu/towns/ChathamMassachusettsMapList.htm> (Accessed: August 20, 2009).

### **1900 - 1949**

1901 - Eldridge, George W. *Harbor Chart No. 47 showing Cotuit & Osterville, Cottage City New Harbor, and Chatham*. (1)

1902 - U.S. Coast & Geodetic Survey Plane Table Survey, T-2604, *Monomoy Island, Massachusetts*. Scale 1:20,000. (1)

1902 - U.S. Coast & Geodetic Survey Hydrographic Survey, H-2603a, *Monomoy Slue and Shovelful Shoals*. Scale 1:10,000. (1)

1903 - U.S. Coast & Geodetic Survey Chart. *Nantucket Sound and Eastern Approaches Massachusetts*. Scale 1:80,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1909 - U.S. Coast & Geodetic Survey Plane Table Survey, T-1077b, *Pleasant Bay*. Scale 1:10,000. (1)

1910 - Walker, G.W. *Topographical Atlas of Massachusetts*. Plates 118, Chatham. (2)

1912 - U.S. Coast & Geodetic Survey Hydrographic Survey, H-2603, *Off Monomoy Point, Channel Between Shovelful and Handkerchief Shoals*. Scale 1:40,000.

1912 - Eldridge, George W. *Chart of Nantucket Sound East*. (1)

1916 - *Geology of Cape Cod*. Plate 2 in Woodworth and Wigglesworth (1934).

1917 - U.S. Geological Survey. *Chatham Quadrangle*. Partial Revision by the Massachusetts Commission on Waterways and Public Works. Scale 1:62,500.  
<http://docs.unh.edu/towns/ChathamMassachusettsMapList.htm> (Accessed: August 20, 2009).

1920 - *Map of the Cape Cod Region*, in Brigham (1920).

1925 - Eldridge, George W. *Chart of Vineyard Lt. Ship to Chatham*. (1)

1931 - U.S. Coast & Geodetic Survey Topographic Map, T-4623, *Massachusetts, Cape Cod, Monomoy I.* Scale 1:20,000. (1)

1938 - U.S. Coast & Geodetic Survey Topographic Map, T-5736, *Massachusetts, Cape Cod and Vicinity*. Scale 1:10,000. (1)

1938 - U.S. Coast & Geodetic Survey Topographic Map, T-5737, *Massachusetts, Cape Cod, Monomoy Island*. Scale 1:10,000. (1)

1940 - U.S. Geological Survey. *Chatham Quadrangle*. Scale 1:31,680.  
<http://docs.unh.edu/towns/ChathamMassachusettsMapList.htm> (Accessed: August 20, 2009).

1947 - U.S. Geological Survey. *Chatham Quadrangle*. Scale 1:31,680.  
<http://docs.unh.edu/towns/ChathamMassachusettsMapList.htm> (Accessed: August 20, 2009).

### **1950 - 1999**

1951/1952 - U.S. Coast & Geodetic Survey Shoreline Manuscript, T-11208, *Monomoy Island – Monomoy Point to Salls Drain*. Scale 1:10,000. (1)

1951/1952 - U.S. Coast & Geodetic Survey Shoreline Manuscript, T-11196a, *Cape Cod – Pleasant Bay*. Scale 1:10,000. (1)

1951/1952 - U.S. Coast & Geodetic Survey Shoreline Manuscript, T-11203, *Massachusetts, Barnstable County, Cape Cod, Chatham and Vicinity*. Scale 1:10,000. (1)

1957 - U.S. Army Corps of Engineers. *Chatham, Mass., Beach Erosion Control Study*. Plate 8 - Comparative High Water Shorelines.

1966 - U.S. Coast & Geodetic Survey Chart # 1208. *Cape Cod Bay*. Scale 1:80,000.  
[http://historicalcharts.noaa.gov/historical/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historical/historical_zoom.asp) (Accessed: August 20, 2009).

1967 - U.S. Coast & Geodetic Survey Chart # 1209. *Nantucket Sound and Approaches*. Scale 1:80,000. [http://historicalcharts.noaa.gov/historical/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historical/historical_zoom.asp) (Accessed: August 20, 2009).

1970 - National Ocean Survey, Shoreline Manuscript, TP-00171, *Massachusetts Race Point-Chatham, Nauset Beach*. Scale 1:20,000. (1)

1978 - National Ocean Survey, Shoreline Manuscript, TP-00725, *Massachusetts Monomoy Island*. Scale 1:20,000. (1)

1986 - NOAA, National Ocean Service, Coast Survey Chart #13248. *Chatham Harbor and Pleasant Bay*. Scale 1:20,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1990 - NOAA, National Ocean Service, Coast Survey Chart #13248. *Chatham Harbor and Pleasant Bay*. Scale 1:20,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1991 - NOAA, National Ocean Service, Coast Survey Chart # 13237. *Nantucket Sound and Approaches*. Scale 1:80,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

1994 - Massachusetts Office of Geographic and Environmental Information (MassGIS). Color Orthophotos. Scale 1:10,000. <http://www.mass.gov/mgis/coloroq.htm> (Accessed: August 20, 2009).

1996 - NOAA, National Ocean Service, Coast Survey Chart #13248. *Chatham Harbor and Pleasant Bay*. Scale 1:20,000. [http://historicalcharts.noaa.gov/historicals/historical\\_zoom.asp](http://historicalcharts.noaa.gov/historicals/historical_zoom.asp) (Accessed: August 20, 2009).

## **2000 - 2009**

2001 - NOAA, National Ocean Service, Coast Survey Chart #13248. *Chatham Harbor and Pleasant Bay*. Scale 1:20,000. <http://www.nauticalcharts.noaa.gov/> (Accessed: August 20, 2009).

2001 - Massachusetts Office of Geographic and Environmental Information (MassGIS). Color Orthophotos. Scale 1:5,000. <http://www.mass.gov/mgis/colororthos2001.htm> (Accessed: August 20, 2009).

2005 - Massachusetts Office of Geographic and Environmental Information (MassGIS). Color Orthophotos. Scale 1:5,000. <http://www.mass.gov/mgis/colororthos2005.htm> (Accessed August 20, 2009).

2006 - NOAA, National Ocean Service, Coast Survey Chart # 13246. *Cape Cod Bay*. Scale 1:80,000. <http://www.nauticalcharts.noaa.gov/> (Accessed: August 20, 2009).

2006-2009 - Website - *Breakthrough: The Continuing Story of Chatham's North Beach*. Maps of contemporary shoreline position prepared by Thadd Eldredge, PLS.  
<http://www.chathamnorthbeach.com/index.htm> (Accessed: August 20, 2009).

**Key to Archive Location (if not otherwise specified)**

(1) Massachusetts Historical Shoreline Mapping Project. Massachusetts Office of Coastal Zone Management. Digital Collection.

(2) Norman B. Leventhal Map Center at the Boston Public Library. <http://maps.bpl.org/>  
(Accessed: August 20, 2009).

(3) Harvard Map Collection Digital Maps. <http://hcl.harvard.edu/libraries/maps/digitalmaps/>  
(Accessed: August 20, 2009).